

ARCHITECTURAL FENESTRATION | WOOD, STEEL & BRONZE
LUXURY RESIDENTIAL & COMMERCIAL



WINDOWS | DOORS | CUSTOM DESIGNS

HURRICANE IMPACT RATED
BALLISTIC DOORS AND WINDOWS AVAILABLE

EXCELLENCE SINCE 1981



WOOD EXTERIOR PRODUCT OPTIONS

WOOD SPECIES

- Ipe
- Teak
- Exotic
- Cypress
- Red Oak
- White Oak
- Mahogany
- Old Growth Cypress
- Accoya - Wood Composite

**All cores are mahogany*

SCREENS

- COLORS:
- Charcoal Gray
 - Light Gray
 - Black
 - White
 - Bronze
 - Custom Available
- MATERIALS:
- Wood
 - Aluminum
 - Removable Fixed
 - Roll Down

HARDWARE

- Siegenia Multi-Point Systems
- Multi-Point Gears
- Emtek
- FSB
- Fusital
- Hager
- McKinney
- Pemko
- Valli & Valli
- Sun Valley Bronze
- Merit
- Rocky Mountain Hardware
- Emtek
- FSB
- Fusital
- Hager
- Baldwin
- McKinney
- Rockwood
- Pemko
- FPL
- Valli & Valli

**Other Hardware brands options available, please contact Oliveri Millworks for more options*

GLAZING

Laminated Insulated Impact Glass
Annealed, High Strength, or Tempered
Possible Configurations: 3/16" or 1/4" x .075
or .090 x 1/2" Spacer x 3/16" or 1/4"

Mono Impact Glass
Annealed, High Strength, or Tempered
Possible Configurations: 3/16" or 1/4" x .075
or .090 x 1/2" Spacer x 3/16" or 1/4"
Other specs available, Low "E" options
available, Low iron glass available

Multiple glass configurations, colors and Low-E
films available. please contact Oliveri Millworks
for more details

** Ballistic glass available,
All colors available*

FINISHING

All Oliveri windows and doors are completely painted unassembled to allow for finishing in gasket
grooves and lock assembly areas, glazed, assembled and final coats are applied.

Oliveri Standard and Custom Colors Available
Oliveri uses water based finished products only.



INSWING & OUTSWING

Available in impact rated in varying shapes and sizes

Sizes up to 76x144
Design pressure to +80/-80

Radius Top
French Doors



Cypress Limewashed Door



4'x10' Entry Door




Teak Impact Door

LIFT & SLIDE



Panel sizes to 5' x 12' Door units to any opening size Design pressures to 60/65
Pocket configuration available



BI-FOLDING DOORS



Design pressures to 65/65
Sizes up to 100' +
Note Miami to 20'
Height to 10' plus transoms

CONFIGURATIONS



AWNING AND HOPPER




Awning with French Casement Window




Impact Rated Mahogany Hopper

CONFIGURATIONS


Sizes up to 80' x 84' Design pressure to 70/70



Hopper



Fixed



Awning



CASEMENT WINDOWS



Inswing Tilt & Turn with Sidelights and Transom




Custom Oval Shaped Window


CONFIGURATIONS

IN SWING | OUT SWING | TILT-TURN | FRENCH CASEMENT


- Inswing
- Outswing
- Tilt & Turn
- Radius
- Eyebrow
- Transoms
- Concealed Hinge
- Butt Hinge
- Tested Design Pressure +75/-75
- Mono and Insulated Glass
- Low E Options




Rectangular




Tilt - Turn



Eyebrow



Radius



French

SINGLE/DOUBLE

Oliveri produces a complete line of single, double, and triple hung windows including sash, weight, and chain and balancers.



TRIPLE HUNG



CONFIGURATIONS


AVAILABLE IN SASH WEIGHT OR CHAIN & BALANCERS




Rectangle
4000 Series




Arc
4000 Series



Rectangle
4500 Series




Twin 4500 Series



Triple Hung 4500 Series

ANY AND ALL CONFIGURATIONS CAN BE MODIFIED TO MEET DESIGN INTENT



ARCH TOP INSWING/OUTSWING WITH SIDELITES AND TRANSOMS

SIDELITE PORTION		DOOR PORTION	
PART DESCRIPTION	SIZE	PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	50 3/8"	MAX. UNIT WIDTH	99 1/2"
MAX. UNIT HEIGHT	122"	MAX. UNIT HEIGHT	122"
STILES / TOP RAIL	3 1/2"	STILES / TOP RAIL	3 1/2"
BOTTOM RAIL	6"	BOTTOM RAIL	6"
MAX. DESIGN PRESSURE	+60.0 -60.0	MAX. DESIGN PRESSURE	+60.0 -60.0

BI-FOLDING PANEL SYSTEM #1

PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	340 3/4"
MAX. UNIT HEIGHT	122 1/2"
STILES / TOP RAIL	5"
BOTTOM RAIL	8 1/2"
MAX. DESIGN PRESSURE	+55.0 -55.0

BI-FOLDING PANEL SYSTEM #2

PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	171 1/4"
MAX. UNIT HEIGHT	126 1/4"
STILES / TOP RAIL	5"
BOTTOM RAIL	8 1/2"
MAX. DESIGN PRESSURE	+50.0 -50.0

LIFT AND SLIDE DOOR SYSTEM


PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	240"
MAX. UNIT HEIGHT	144"
STILES / TOP RAIL	4"
BOTTOM RAIL	8 3/4"
MAX. DESIGN PRESSURE	+60.0 -65.0

LIFT AND SLIDE DOOR SYSTEM WITH POCKET

PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	238 7/8"
MAX. UNIT HEIGHT	144"
STILES / TOP RAIL	4"
BOTTOM RAIL	8 3/4"
MAX. DESIGN PRESSURE	+60.0 -65.0


ANY AND ALL CONFIGURATIONS CAN BE MODIFIED TO MEET DESIGN INTENT

INSWING/OUTSWING
FRENCH CASEMENT
WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	62"
MAX. UNIT HEIGHT	86"
STILES / TOP RAIL	3"
BOTTOM RAIL	3"
MAX. DESIGN PRESSURE	+75.0 -75.0

OUTSWING SINGLE
CASEMENT WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	38"
MAX. UNIT HEIGHT	79"
STILES / TOP RAIL	3"
BOTTOM RAIL	3"
MAX. DESIGN PRESSURE	+75.0 -75.0

INSWING/TILT&TURN
SINGLE CASEMENT
WINDOWS



PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	39"
MAX. UNIT HEIGHT	79 3/4"
STILES / TOP RAIL	3"
BOTTOM RAIL	3"
MAX. DESIGN PRESSURE	+75.0 -75.0


INSWING/OUTSWING
TWIN CASEMENT
WINDOWS



PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	76"
MAX. UNIT HEIGHT	79"
STILES / TOP RAIL	3"
BOTTOM RAIL	3"
MAX. DESIGN PRESSURE	+75.0 -75.0


NOTES: EYEBROW TOP WINDOWS AVAILABLE AS WELL

DOUBLE-HUNG SASH
WEIGHT AND CHAIN
WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	56 3/8"
MAX. UNIT HEIGHT	111 3/8"
STILES / TOP RAIL	2 1/2"
BOTTOM RAIL	3 1/4"
MAX. DESIGN PRESSURE	+60.0 -65.0

DOUBLE-HUNG
BALANCE WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	51 3/8"
MAX. UNIT HEIGHT	111 3/8"
STILES / TOP RAIL	2 1/2"
BOTTOM RAIL	3 1/4"
MAX. DESIGN PRESSURE	+60.0 -65.0

TWIN DOUBLE-HUNG
BALANCE WINDOWS



PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	103 1/2"
MAX. UNIT HEIGHT	111 3/8"
STILES / TOP RAIL	2 1/2"
BOTTOM RAIL	3 1/4"
MAX. DESIGN PRESSURE	+47.0 -50.0


TRIPLE-HUNG SASH
WEIGHT AND CHAIN
WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	57 1/8"
MAX. UNIT HEIGHT	165 1/4"
STILES / TOP RAIL	2 1/2"
BOTTOM RAIL	3 1/4"
MAX. DESIGN PRESSURE	+70.0 -75.0

ANY AND ALL CONFIGURATIONS CAN BE MODIFIED TO MEET DESIGN INTENT


INSWING / OUTSWING
12' DOUBLE DOOR



INSWING / OUTSWING
12' SINGLE DOOR



FIXED PICTURE FRAME WINDOW



STEEL ,
STAINLESS STEEL,
BRONZE,
PROFILES & OPTIONS

MATERIALS

STAINLESS STEEL 316

ARCHITECTURAL BRONZE

FINISHES


Painted Powder Coated Finishes – Steel, Stainless Steel
Artisan Finishes – Bronze (will Patina)
RAL paint color option

THERMALLY BROKEN


Available in Steel, Stainless Steel or Bronze
Double or Triple weather-stripping gaskets
Glazing bead options
Narrow sightlines and durability
Multipoint Hardware
Florida Product Approval




OWW - MA
STAINLESS STEEL,
BRONZE
PROFILES








OWW - MA COMPOSIT INFILL PROFILES





OWW - MA THRESHOLD + DROP SEAL













CUSTOM INTERIOR DOORS

OPTIONS

WOOD SPECIES

- Teak
- Exotic
- Cypress
- Red Oak
- White Oak
- Mahogany
- Old Growth Cypress
- Maple
- Painted Wood Doors Maple
- Wood Panel to be made MDF

HARDWARE

- Siegenia Multi-Point Systems
- Multi-Point Gears
- Emtek
- FSB
- Fusital
- Hager
- McKinney
- Pemko
- Valli & Valli
- Sun Valley Bronze
- Merit
- Rocky Mountain Hardware
- Emtek
- FSB
- Fusital
- Hager
- Baldwin
- McKinney
- Rockwood
- Pemko
- FPL
- Valli & Valli

GLAZING

Laminated Insulated Impact Glass
Annealed, High Strength, or Tempered
Possible Configurations: 3/16" or 1/4" x .075
or .090 x 1/2" Spacer x 3/16" or 1/4"

Mono Impact Glass
Annealed, High Strength, or Tempered
Possible Configurations: 3/16" or 1/4" x .075
or .090 x 1/2" Spacer x 3/16" or 1/4"
Other specs available, Low "E" options
available, Low iron glass available

Multiple glass configurations, colors and Low-E
films available. please contact Oliveri Millworks
for more details

* Ballistic glass available, All colors available

*Other Hardware brand options available, contact Oliveri Millworks for more options

FINISHING

All Oliveri windows and doors are completely painted unassembled to allow for finishing in gasket
grooves and lock assembly areas, glazed, assembled and final coats are applied.

Oliveri Standard and Custom Colors Available



AVAILABLE STICKING OPTIONS

- OG - Roman Ogee
- SS - Square Stick Sticking
- OS - One-Step Sticking
- QM - Quirk Moulding
- BV - Bevel Sticking
- CB - Cove & Bead Sticking
- TR - Traditional Sticking*
- QB - Quarter Bead Sticking
- QR - Quarter Round Sticking
- BM - Bolection Moulding
- BBM - Big Bolection Moulding
- LP - Low Profile Bolection Moulding

AVAILABLE PANEL OPTIONS

- A - Raised Panel
- B - Scoop Panel
- C - Flat Panel
- D - Double Hip Panel
- E - Senior Raised Panel
- OF - Senior Bevel Panel



INTERIOR DOOR STYLES



OM1000



OM1010



OM1030



OM1050



OM1040



OM1050



OM1060



OM1070



OM2170



OM2180



OM2190



OM2200



OM2250



OM2260



OM3000



OM3010



OM2000



OM2010



OM2020



OM2030



OM2080



OM2090



OM2130



OM2160



OM2210



OM2220



OM2230



OM2240



OM2250



OM3030



OM3040



OM3050

INTERIOR DOOR STYLES



OM3060



OM3070



OM3080



OM3090



OM3140



OM3150



OM3160



OM3170



OM3230



OM3240



OM3250



OM3260



OM3310



OM3320



OM3330



OM3340



OM3100



OM3110



OM3120



OM3130



OM3180



OM3190



OM3210



OM3220



OM3270



OM3280



OM3290



OM3300



OM3350



OM3360




OM3370



OM4000

INTERIOR DOOR STYLES

			
OM4010	OM4020	OM4030	OM4040
			
OM4110	OM4120	OM4130	OM4140
			
OM4210	OM4220	OM4230	OM4240
			
OM4290	OM4300	OM4310	OM5000

			
OM4050	OM4060	OM4070	OM4100
			
OM4150	OM4170	OM4190	OM4200
			
OM4250	OM4260	OM4270	OM4280
			
OM5010	OM5020	OM5030	OM5040

INTERIOR DOOR STYLES



OM5050



OM5060



OM5070



OM5080



OM5130




OM5140



OM6000



OM6010



OM6070



OM6080



OM6090



OM6100



OM7000



OM7010



OM7020



OM8000



OM5090



OM5100



OM5110



OM5120



OM6020



OM6030



OM6040



OM6050



OM6110



OM6120



OM6130



OM6140



OM8010



OM8020



OM9000




OM9010

CUSTOM EXTERIOR SHUTTERS

Custom exterior gates, doors, showers, fencing, pergolas, and trellises. Custom Millwork including trim, molding, shelving, paneling, and custom furniture.



GATES & STRUCTURES



COMMERCIAL

WINDOWS + DOORS

Luxury Buildings
Health Centers
Country Clubs
Hospitality
Retail

Steel Doors
Metal Doors
Fire Rated Doors
Wood Interior Doors
Exterior Impact Doors
Exterior Impact Windows
Luxury Hardware Brands



Automatic Entry Systems





OLIVERI
ARCHITECTURAL
WINDOWS + DOORS

MILLWORKS



Oliveri Millworks is a multi-generational family-owned business, producing and supplying the finest quality wood, steel, stainless steel windows and doors.

Operating out of West Palm Beach, Florida since 1981, Oliveri's architectural line of mahogany windows and doors, steel, stainless steel, bronze, interior doors, and custom designs, define the homes they grace. From luxury residential to the top tier commercial projects, Oliveri offers general contractors, architects and designers a partner in making their projects come to life with a solutions based approach.

Oliveri Millworks stays ahead of the competition by offering an extensive line of products with custom elements made possible by advanced CNC technology and extensive testing. We offer split finishes with mixed species of woods & metals, custom finishes, and one-off designer pieces that will meet any unique design specifications.

WWW.OLIVERIMILLWORKS.COM

3001 TUXEDO AVE WEST PALM BEACH, FL 33405 | 561-478-7233

EXCELLENCE IN THE PALM BEACH TRADITION SINCE 1981