



ANY AND ALL CONFIGURATIONS CAN BE MODIFIED TO MEET DESIGN INTENT




ANY AND ALL CONFIGURATIONS CAN BE MODIFIED TO MEET DESIGN INTENT

INSWING/OUTSWING
FRENCH CASEMENT
WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	62"
MAX. UNIT HEIGHT	86"
STILES / TOP RAIL	3"
BOTTOM RAIL	3"
MAX. DESIGN PRESSURE	+75.0 -75.0

OUTSWING SINGLE
CASEMENT WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	38"
MAX. UNIT HEIGHT	79"
STILES / TOP RAIL	3"
BOTTOM RAIL	3"
MAX. DESIGN PRESSURE	+75.0 -75.0

INSWING/TILT&TURN
SINGLE CASEMENT
WINDOWS



PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	39"
MAX. UNIT HEIGHT	79 3/4"
STILES / TOP RAIL	3"
BOTTOM RAIL	3"
MAX. DESIGN PRESSURE	+75.0 -75.0


INSWING/OUTSWING
TWIN CASEMENT
WINDOWS



PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	76"
MAX. UNIT HEIGHT	79"
STILES / TOP RAIL	3"
BOTTOM RAIL	3"
MAX. DESIGN PRESSURE	+75.0 -75.0


NOTES: EYEBROW TOP WINDOWS AVAILABLE AS WELL

DOUBLE-HUNG SASH
WEIGHT AND CHAIN
WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	56 3/8"
MAX. UNIT HEIGHT	111 3/8"
STILES / TOP RAIL	2 1/2"
BOTTOM RAIL	3 1/4"
MAX. DESIGN PRESSURE	+60.0 -65.0

DOUBLE-HUNG
BALANCE WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	51 3/8"
MAX. UNIT HEIGHT	111 3/8"
STILES / TOP RAIL	2 1/2"
BOTTOM RAIL	3 1/4"
MAX. DESIGN PRESSURE	+60.0 -65.0

TWIN DOUBLE-HUNG
BALANCE WINDOWS



PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	103 1/2"
MAX. UNIT HEIGHT	111 3/8"
STILES / TOP RAIL	2 1/2"
BOTTOM RAIL	3 1/4"
MAX. DESIGN PRESSURE	+47.0 -50.0


TRIPLE-HUNG SASH
WEIGHT AND CHAIN
WINDOWS




PART DESCRIPTION	SIZE
MAX. UNIT WIDTH	57 1/8"
MAX. UNIT HEIGHT	165 1/4"
STILES / TOP RAIL	2 1/2"
BOTTOM RAIL	3 1/4"
MAX. DESIGN PRESSURE	+70.0 -75.0

ANY AND ALL CONFIGURATIONS CAN BE MODIFIED TO MEET DESIGN INTENT

INSWING / OUTSWING
12' DOUBLE DOOR



INSWING / OUTSWING
12' SINGLE DOOR



FIXED PICTURE FRAME WINDOW

